




*The infinitely
accessible,
light weight and
affordable
console solution*

GCX-Chassis™

Total Access, Affordable
X-Chassis Based Console System



GCX-W: WORKSTATION
*Individual
Console*



GCX-S: SIT-2-STAND
*Electronic Height
Adjustable*



GCX-C: CONTINUUM
*Expandable and
Configurable*

GCX product line options:

TABLE OF CONTENTS:

GCX

■ The Anatomy of GCX.....	2
■ The Look of your GCX	3
■ GCX in Action.....	4
■ Turret Options.....	6
■ X-Chassis Dimensions	7
■ Wiring.....	8
■ Console Section Dimensions	9

GCX-S

■ GCX-S1 Base Model	12
■ GCX-S1 Countertop Options.....	13
■ GCX-S2 Base Model	14
■ GCX-S2 Countertop Options.....	15
■ GCX-S3 Base Model	16
■ GCX-S3 Countertop Options.....	17

GCX-W

■ GCX-W1 Base Model	20
■ GCX-W1 Countertop Options.....	21
■ GCX-W2 Base Model	22
■ GCX-W2 Countertop Options.....	23
■ GCX-W3 Base Model	24
■ GCX-W3 Countertop Options.....	25

GCX-C Continuum

■ GCX-Continuum.....	28
■ Curved Layouts	29
■ GCX Continuum Detail	30
■ Pre-Configured Models	31
■ Curved Console Cockpit.....	34
■ Transitions	35
■ Rack Base Options	37
■ Equipment Wedge Options	38
■ Accessories.....	39



W

Workstation
Individual
Console



S

Sit-2-Stand
Electronic Height
Adjustable



C

Continuum
Expandable and
Configurable



GCX-W

- Stationary console available in 1, 2 and 3 bay wide X-Chassis
- Legs have removable panels to access cables from X-Chassis to floor
- Lift-off, removable, vented turrets and filler panels available


GCX-S

- Countertop height fully adjustable from 25" to 50"
- Motorized legs have a 500 lb. lift capacity
- Flexible and protective cable management
- Console available in 1, 2 and 3 bay wide X-Chassis
- Electronic handset switch has 3-programmable height settings

GCX-C

- Infinitely expandable and configurable console
- Based on combining 1, 2 and 3 bay wide X-Chassis to create a fully customized console
- Can be configured in any shape to compliment any size room

The anatomy of a GCX:



- 1 Lightweight steel **X-Chassis** with removable hinged doors. Available in 1, 2 and 3 bay widths.
- 2 Vented and lift-off **removable turrets** are available in 2, 3, 4 & 5 rack units (Can be combined with 1 and 1/2 bay countertop fillers).
- 3 Available in multiple **countertop** sizes, styles and finishes.

- 4 Stationary legs for **Continuum** (GCX-C) & **Workstation** (GCX-W). Legs have removable panels to easily route cables to the floor.
- 5 **Sit-2-Stand** console (GCX-S) uses electronically controlled height adjustable legs. Adjusts from approximately 25" to 50" at countertop height.
- 6 **Rear Rail** for accessory mounting.




The look of your GCX:

Give your consoles their own look

COUNTLESS COUNTERTOP VARIATIONS





Various countertop shapes, end details, materials and colors allow you to create the perfect console for your needs.

CURVED COUNTERTOP





Standard Laminates

SQUARED COUNTERTOP



CAPPED COUNTERTOP



A leg to stand on

LEG OPTIONS


Console leg comes standard with adjustable height floor levelers. Combination lockable front & free-wheel rear casters are available as an upgrade.



LEVELER OPTION



CASTER OPTION





GCX in action:

One man show

GCX-W WORKSTATION -
EVERYTHING AT YOUR FINGERTIPS



Workstations offer the best possible solutions for non-linear editing, graphics and color correction workstations. The consoles are pre-engineered, affordable and ready for quick-ship.




Rise to the occasion

GCX-S SIT-2-STAND -
ELECTRONIC HEIGHT ADJUSTABLE



All GCX-S are fully height adjustable with electronically controlled actuators, capable of 500 pounds of lift. This allows the countertop height to go from 25 inches above the floor all the way to 50 inches.




NOTE: Countertop height is not shown in the lowest position

Infinitely expandable and configurable

GCX-C CONTINUUM -
FITS ANY/EVERY ROOM SIZE OR SHAPE



Continuum can be configured in rows, or in concave or convex curves as well as freeform S-shape footprints. The lower transition panels ensure that wiring between units is protected and hidden from view. The rear aluminum extrusion (accessories rail) is custom cut to match the final shape allowing for easy addition and relocation of the monitor arms and other mounted accessories.



GCX-Chassis™

Specs & Configurations




GCX-Chassis™

Specs & Configurations




Removable Turrets




Dimensions with Rack Turret options


MasterVision removable rack inserts are available in 3 and 4 rack unit. Diagrams below show maximum equipment depth when using a 5 rack unit turret and 3 and 4 rack unit undercounter rack insert combinations.



Removable C-Top Filler




Audio Overbridge



NOTE: Actual dimensions depends on the final design

GCX-Chassis™

Specs & Configurations



GCX-Chassis™



Specs & Configurations

X-CHASSIS



- Precision laser cut, lightweight steel X-Chassis with front and rear hinged/ removable doors
- Perforated for ample ventilation
- Integrated power distribution options
- Multiple slots for managing cables
- Strategically placed holes for cable routing
- Open design for easy access

X-CHASSIS DIMENSIONS




GCX-Chassis™

Specs & Configurations



CABLE PATHS ensure that wiring can easily be passed between X-Chassis' and support legs while remaining unseen.

(GCX-W and GCX-C models)




FLEXIBLE CABLE CHAIN ensures that cables are not damaged, pinched or pulled during height adjustment.

(GCX-S model)


GCX-Chassis™

Specs & Configurations



Fixed Height Section

(Scalloped edge detail shown)



Sit-2-Stand Section

(Scalloped edge detail shown)



GCX-S Sit-2-Stand™

Electronic Height Adjustment



GCX-S (Sit-2-Stand console)

- Console available in 1, 2 and 3 bay wide X-Chassis
- Countertop height fully adjustable from 25" to 50"
- Motorized legs have a 500 lb. lift capacity
- Flexible and protective cable management
- Electronic controller has three programmable height settings



GCX-S Sit-2-Stand™

Electronic Height Adjustment



GCX-S1




1 BAY
FRONT VIEW



1 BAY
REAR VIEW

Turret and Filler Configurations

All turrets and countertop filler panels are individually removable and reconfigurable. Allowing you the most flexibility.




GCX-S Sit-2-Stand™

Electronic Height Adjustment




CURVED C-TOP END DETAIL — CURVED C-TOP END DETAIL




FC-GCX-S1-B

SQUARED C-TOP END DETAIL — SQUARED C-TOP END DETAIL



FC-GCX-S1-D

CAPPED C-TOP END DETAIL — CAPPED C-TOP END DETAIL



FC-GCX-S1-F

FC-GCX-S1

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	52.81"	49.84"	32.03"
DEPTH		37"	
MAX RU's	10RU (1x5RU)		
NUMBER OF OPERATORS	1		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

GCX-S Sit-2-Stand™

Electronic Height Adjustment



GCX-S2




2 BAY
FRONT VIEW



2 BAY
REAR VIEW

Turret and Filler Configurations

All turrets and countertop filler panels are individually removable and reconfigurable. Allowing you the most flexibility.



GCX-S Sit-2-Stand™


Electronic Height Adjustment




GCX-S2 BASE MODEL

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	73"	70"	52"
DEPTH		37"	
MAX RU's		10RU (2x5RU)	
NUMBER OF OPERATORS		1	
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		


CURVED C-TOP END DETAIL




SCALLOPED C-TOP EDGE DETAIL
FC-GCX-S2-A



LINEAR C-TOP EDGE DETAIL
FC-GCX-S2-B




SCALLOPED C-TOP EDGE DETAIL
FC-GCX-S2-C




LINEAR C-TOP EDGE DETAIL
FC-GCX-S2-D

CAPPED C-TOP END DETAIL



SCALLOPED C-TOP EDGE DETAIL
FC-GCX-S2-E



LINEAR C-TOP EDGE DETAIL
FC-GCX-S2-F

GCX-S Sit-2-Stand™

Electronic Height Adjustment



GCX-S3




3 BAY
FRONT VIEW



3 BAY
REAR VIEW




Turret and Filler Configurations

All turrets and countertop filler panels are individually removable and reconfigurable.
Allowing you the most flexibility.





GCX-S Sit-2-Stand™

Electronic Height Adjustment



	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	92" [2337mm]	90" [2286mm]	72" [1803mm]
DEPTH		37" [940mm]	
MAX RU's		15RU (3x5RU)	
NUMBER OF OPERATORS		1	
C-TOP DEPTH (Turret To Edge)		Scalloped 15.50" Linear 17.72"	



GCX-S Sit-2-Stand™

Electronic Height Adjustment




GCX-S4




Turret and Filler Configurations

All turrets and countertop filler panels are individually removable and reconfigurable. Allowing you the most flexibility.




GCX-S Sit-2-Stand™


Electronic Height Adjustment




SCALLOPED C-TOP EDGE DETAIL
FC-GCX-S4-A



LINEAR C-TOP EDGE DETAIL
FC-GCX-S4-B




SCALLOPED C-TOP EDGE DETAIL
FC-GCX-S4-C




LINEAR C-TOP EDGE DETAIL
FC-GCX-S4-D

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	113"	103"	94"
DEPTH	37"		
MAX RU's	20RU (4x5RU)		
NUMBER OF OPERATORS	1 or 2		
C-TOP DEPTH (Turret To Edge)	Scalloped 16" Linear 18.2"		



SCALLOPED C-TOP EDGE DETAIL
FC-GCX-S4-E



LINEAR C-TOP EDGE DETAIL
FC-GCX-S4-F



GCX-W Workstation™

Individual Workstations



GCX-W

- Stationary console available in 1, 2 and 3 bay wide X-Chassis
- Legs have removable panels to access cables from X-Chassis to floor
- Lift-off, removable, vented turrets and filler panels available



MODEL SHOWN:
FC-GCX-W3-A

GCX-W Workstation™

Individual Workstations



GCX-W1




1 BAY
FRONT VIEW

1 BAY
REAR VIEW

Turret and Filler Configurations


All turrets and countertop filler panels are individually removable and reconfigurable. Allowing you the most flexibility.



GCX-W Workstation™


Individual Workstations

CURVED C-TOP END DETAIL




FC-GCX-W1-B

SQUARED C-TOP END DETAIL



FC-GCX-W1-D

CAPPED C-TOP END DETAIL



FC-GCX-W1-F

FC-GCX-W1

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	52.81"	49.84"	32.03"
DEPTH		37"	
MAX RU's		10RU (1x5RU)	
NUMBER OF OPERATORS	1		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

GCX-W Workstation™

Individual Workstations



GCX-W2




2 BAY
FRONT VIEW



2 BAY
REAR VIEW

Turret and Filler Configurations

All turrets and countertop filler panels are individually removable and reconfigurable. Allowing you the most flexibility.









GCX-W Workstation™

Individual Workstations



GCX-W2 COUNTERTOP OPTIONS

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	73"	70"	52"
DEPTH		37"	
MAX RU's	10RU (2x5RU)		
NUMBER OF OPERATORS	1		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.66"		



GCX-W Workstation™

Individual Workstations




GCX-W3




Turret and Filler Configurations

All turrets and countertop filler panels are individually removable and reconfigurable. Allowing you the most flexibility.





GCX-W Workstation™

Individual Workstations



	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	92"	90"	72"
DEPTH	37"		
MAX RU's	15RU (3x5RU)		
NUMBER OF OPERATORS	1		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		



GCX-W Workstation™

Individual Workstations




GCX-W4



Turret and Filler Configurations

All turrets and countertop filler panels are individually removable and reconfigurable. Allowing you the most flexibility.



GCX-W Workstation™

Individual Workstations




FC-GCX-W4


COUNTERTOP END DETAIL

CURVED SQUARED CAPPED


	113"	103"	94"
WIDTH			
DEPTH			37"
MAX RU's			20RU (4x5RU)
NUMBER OF OPERATORS			1 or 2
C-TOP DEPTH (Turret To Edge)			Scalloped 16" Linear 18.2"




SCALLOPED C-TOP EDGE DETAIL
FC-GCX-W4-A




LINEAR C-TOP EDGE DETAIL
FC-GCX-W4-B




SCALLOPED C-TOP EDGE DETAIL
FC-GCX-W4-C



LINEAR C-TOP EDGE DETAIL
FC-GCX-W4-D



SCALLOPED C-TOP EDGE DETAIL
FC-GCX-W4-E



LINEAR C-TOP EDGE DETAIL
FC-GCX-W4-F



GCX-C Continuum™

Expandable and Configurable



GCX-C

- Infinitely expandable and configurable console
- Based on combining 1, 2 and 3 bay wide X-Chassis' to create a fully customized console
- Can be configured in any shape or size to compliment any room

GCX-C Continuum™

Expandable and Configurable



*Continuum is based on combining
1, 2 and 3 bay X-Chassis' to create a
fully customized console*




GCX-C Continuum™

Expandable and Configurable




*Several 1-Bay chassis' combined to
form a curved cockpit section.*



GCX-C Continuum™

Expandable and Configurable



All designs, plans, ideas & specifications in this drawing remain the entire property of Forecast Consoles Inc. and may not be reproduced or used in any manner without written consent.


(631) 253-9000 or info@forecast-consoles.com




GCX-C Continuum™

Expandable and Configurable


FC-GCX-C22



FC-GCX-C23



FC-GCX-C222



FC-GCX-C22

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	109"	107"	97"
DEPTH	36.50"		
MAX RU's	20RU (4x5RU)		
NUMBER OF OPERATORS	2		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

FC-GCX-C23

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	129.5"	126.5"	117"
DEPTH	36.50"		
MAX RU's	25RU (5x5RU)		
NUMBER OF OPERATORS	2		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

FC-GCX-C222

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	154"	151.5"	142"
DEPTH	36.50"		
MAX RU's	30RU (6x5RU)		
NUMBER OF OPERATORS	3		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		



All designs, plans, ideas & specifications in this drawing remain the entire property of Forecast Consoles Inc. and may not be reproduced or used in any manner without written consent.

(631) 253-9000 or info@forecast-consoles.com

All designs, plans, ideas & specifications in this drawing remain the entire property of Forecast Consoles Inc. and may not be reproduced or used in any manner without written consent.

GCX-C Continuum™

Expandable and Configurable

**FC-GCX-C33****FC-GCX-C232****FC-GCX-C2222****FC-GCX-C33**

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	149.5"	147"	137.5"
DEPTH	36.50"		
MAX RU's	30RU (6x5RU)		
NUMBER OF OPERATORS	2-3		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

FC-GCX-C232




	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	174.5"	171.75"	162.25"
DEPTH	36.50"		
MAX RU's	35RU (7X5RU)		
NUMBER OF OPERATORS	3 - 5		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

FC-GCX-C2222

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	199"	196.5"	187"
DEPTH	36.50"		
MAX RU's	40RU (8X5RU)		
NUMBER OF OPERATORS	4 - 6		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

GCX-C Continuum™

Expandable and Configurable

FC-GCX-C333**FC-GCX-C2332****FC-GCX-C22322****FC-GCX-C33**

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	214.75"	212"	202.5"
DEPTH	36.50"		
MAX RU's	45RU (9x5RU)		
NUMBER OF OPERATORS	3 - 4		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

FC-GCX-C2332

	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	239.5"	237"	227.5"
DEPTH	36.50"		
MAX RU's	50RU (10x5RU)		
NUMBER OF OPERATORS	4 - 5		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

FC-GCX-C22322


	COUNTERTOP END DETAIL		
	CURVED	SQUARED	CAPPED
WIDTH	264.5"	261.75"	252"
DEPTH	36.50"		
MAX RU's	55RU (11x5RU)		
NUMBER OF OPERATORS	5 - 6		
C-TOP DEPTH (Turret To Edge)	Scalloped 15.50" Linear 17.72"		

GCX-C Continuum™


Expandable and Configurable




CURVED CONSOLE COCKPIT



FC-GCX-C13



FC-GCX-C14




FC-GCX-C15

GCX-C Continuum™


Expandable and Configurable



TRANSITIONS






Transitions offered in four angles to build concave or convex curves



FC-GCX-TR-30
(30° transition angle)

FC-GCX-TR-45
(45° transition angle)





GCX-C Continuum™

Expandable and Configurable



Removable modesty panels hide cables between transitions





GCX-C Continuum™

Expandable and Configurable



Optional Rack Bases




GCX-C Continuum™

Expandable and Configurable




OPTIONAL EQUIPMENT WEDGES



EXAMPLE:

RCP Wedge for Countertops

(Various sizes available)



EXAMPLE:

Switcher Wedge for Countertops

(Various sizes available)

GCX-C Continuum™

Expandable and Configurable



MONITOR POST MOUNT ARM



FC-PA-14-S
(30lb Weight Capacity)

DUAL MONITOR POST MOUNT ARM



FC-PA-28-D
(40lb Weight Capacity)

FULLY ARTICULATING MONITOR ARM



FC-AA-0313
(3-13lb Weight Capacity)
FC-AA-0825
(8-25lb Weight Capacity)
FC-AA-1331
(13-31lb Weight Capacity)

POST MOUNT SPEAKER PLATFORM



FC-PA-14 SPEAKER
14" Post (20lb Weight Capacity)
FC-PA-28 SPEAKER
28" Post (20lb Weight Capacity)

ARTICULATING TELEPHONE POST MOUNT



FC-PA-14-PHONE

GOOSENECK TASK LIGHT



FC-AC-GOOSENECK LT

MasteRail™ Universal Mounting System*

Aluminum Extrusion has a channel used to mount a variety of accessories giving you maximum flexibility. (Mounts and accessories sold separately.)

*Available in all GCX models



Power Distribution Options

Rack Mount Power Distribution Units can be mounted in different locations depending on your wiring requirements.

RACK MOUNT (12) OUTLET POWER STRIP



FORECAST 1RU POWER DATA UNIT



24" (8) OUTLET POWER STRIP



36" (14) OUTLET POWER STRIP



FC-RS1215 (15 Amp)
FC-RS1220 (20 Amp)

FC-PDM-1

FC-PS0815

FC-PS1415 (15 Amp)
FC-PS1420 (20 Amp)



MasterRail™

Expandable, Interlocking Console System
for Broadcast and Production



MasterVision™

Low-Profile Production &
Monitoring Console System

Sightline™
Configurable Monitor
Wall System



GCX-Chassis™
Modular Desk System for
One or More Operators

For more information: **(800) 735-2070** or **info@forecast-consoles.com**

All designs, plans, ideas & specifications in this drawing remain the entire property of Forecast Consoles Inc. and may not be reproduced or used in any manner without written consent.

*Prices upon request

V2-2019